

28

Artificial Intelligence Project---RLE and MIT Computation Center

Memo 28 --LISP 1.5 Programmer's Manual

by Michael Levin

This memo is to be issued simultaneously with the new LISP 1.5 Programmer's Manual. At the present time, the manual is without a general index and without any appendices.

Appendix A is planned as a complete list of functions within the LISP system, and will be issued shortly. Other appendices will contain detailed information about the interpreter, input-output, and system operation.

The manual is intended to apply to a version of LISP 1.5 called "LISP 1.5 Export A" which has not yet been issued. LISP 1.5 systems preceding this version differ in certain details.

Pre-export LISP 1.5

1. The compiler cannot handle FSUBR or FEXPR defined functions, or functions that link with these.

2. The compiler modes are -

COMPILEMODE (TRACE)	}	for tracing
COMPILEMODE (NORMAL)		
OPENCONS (NIL)	}	for cons
CLOSECONS (NIL)		
SETS (PRINTSAP T)	}	printing
SETS (PRINTSAP F)		no printing

no punched sap is available

3. Tracis can only trace EXPR's.

4. Error diagnostics listed as A6 and A7 will appear as A10 and A11 in the current system.

Errata: LISP 1.5 Programmer's Manual

<u>page</u>	<u>line</u>	
8	12	If ξ is a form...
8	12	$\lambda((x_1, \dots, x_n), \xi)$
8	15	x_1, \dots, x_n in that order in ξ and...
18	4	$\lambda([x_1; \dots; x_n]; \xi)^*$ is $(\text{LAMBDA}, (x_1^*, \dots, x_n^*), \xi^*)$.
18	5	$\text{label}[a; \xi]^*$ is $(\text{LABEL}, a^*, \xi^*)$.
18	8	that if $\text{fn} = \{f\}^*$
19	2	$[\text{atom}[\text{car}[e]] \rightarrow [$
41	6	change "to the APPLY operator." to "to evalquote."

CS-TR Scanning Project
Document Control Form

Date : 11/30/95

Report # AIM - 28

Each of the following should be identified by a checkmark:

Originating Department:

- ☒ Artificial Intelligence Laboratory (AI)
☐ Laboratory for Computer Science (LCS)

Document Type:

- ☐ Technical Report (TR) ☒ Technical Memo (TM)
☐ Other: _____

Document Information

Number of pages: 2 (6-IMAGES)
Not to include DOD forms, printer instructions, etc... original pages only.

Originals are:

- ☒ Single-sided or
☐ Double-sided

Intended to be printed as :

- ☒ Single-sided or
☐ Double-sided

Print type:

- ☐ Typewriter ☐ Offset Press ☐ Laser Print
☐ InkJet Printer ☐ Unknown ☒ Other: POOR MIMOGRAPH

Check each if included with document:

- ☐ DOD Form ☐ Funding Agent Form ☐ Cover Page
☐ Spine ☐ Printers Notes ☐ Photo negatives
☐ Other: _____

Page Data:

Blank Pages (by page number): _____

Photographs/Tonal Material (by page number): _____

Other (note description/page number):

Description :	Page Number:
<u>IMAGE MAP: (1-2) UN# TITLE PAGE, 2</u>	
<u>(3-6) SCANCONTROL, TROT'S (3)</u>	

Scanning Agent Signoff:

Date Received: 11/30/95 Date Scanned: 12/12/95 Date Returned: 12/14/95

Scanning Agent Signature: Michael W. Cook

Scanning Agent Identification Target

Scanning of this document was supported in part by the **Corporation for National Research Initiatives**, using funds from the **Advanced Research Projects Agency of the United States Government** under Grant: **MDA972-92-J1029**.

The scanning agent for this project was the **Document Services** department of the **M.I.T Libraries**. Technical support for this project was also provided by the **M.I.T. Laboratory for Computer Sciences**.

